



Crafting Exceptional Experiences
Through Superior Products



PRODUCT CATALOGUE

Food Processing Equipment
Bakery Equipment





ET-100
(Single Trolley)

Sponge Cake	:	19Kg (1Trolley,13Trays)
Buns(45gms)	:	224 Nos (1Trolley,13Trays)
Biscuits	:	9 to 10 kg (1Trolley,15Trays)
Dry Rusk	:	9.5 Kg (1Trolley,15Trays)
Kharis	:	7 Kg (1Trolley,13Trays)
Puffs	:	195 Nos. (1Trolley,13Trays)
Dimension	:	6 x 5.4 x 7.3 fts.
Max Tem.	:	300°C
Connected load	:	1.5Hp/1.2Kw
Weight	:	800Kg Approx.

Tray size	:	450 x 450mm(18"x18")
Bread(400gm)	:	80Loaves (1Trolley,10 Shelves)



ET-111
(Single Trolley)

Sponge Cake	:	38Kg (1Trolley,13 Trays)
Buns(45gms)	:	336 Nos (1Trolley,13Trays)
Biscuits	:	15 to 16 kg (1Trolley,15Trays)
Dry Rusk	:	13 to 14 Kg (1Trolley,15 Trays)
Kharis	:	9 Kg (1Trolley,13Trays)
Puffs	:	325 Nos. (1Trolley,13Trays)
Dimension	:	6.8 x 6.3 x 7.3 fts
Max Tem.	:	300°C
Connected load	:	1.5Hp/1.2Kw
Weight(1000Kg)	:	1000Kg Approx.

Tray size	:	450 x 700mm(18"x27")
Bread(400gm)	:	120 Loaves (1Trolley,10 Shelves)



ET-112
(Single Trolley)

Sponge Cake	:	53Kg (1Trolley,16 Trays)
Buns(45gms)	:	432 Nos. (1Trolley,18 Trays)
Biscuits	:	20 Kg (1Trolley, 20 Trays)
Dry Rusk	:	18 to 20 Kg(1Trolley, 20 Trays)
Kharis	:	12 Kg (1Trolley,18Trays)
Puffs	:	450 Nos. (1Trolley,18Trays)
Dimension	:	6.8 x 6.3 x 8.3 fts
Max Tem.	:	300°C
Connected load	:	2.5Hp/1.9Kw
weight	:	1200Kg Approx.

Tray size	:	450 x 700mm(18"x27")
Bread(400gm)	:	168 Loaves (1Trolley,14 Shelves)



ET-210
(Single Trolley)

Sponge Cake	:	75Kg (1Trolley, 36 Trays)
Buns(45gms)	:	630 Nos (1Trolley, 36Trays)
Biscuits	:	28Kg (1Trolley, 40 Trays)
Dry Rusk	:	25 to 28 Kgs. (1Trolley, 40 Trays)
Kharis	:	17Kgs (1Trolley, 36 Trays)
Puffs	:	720 Nos. (1Trolley, 36 Trays)
Dimension	:	7.3 x 7.0 x 8.3 fts,
Max Tem.	:	300°C
Connected load	:	2.5 Hp/ 1.9Kw
Weight	:	1750Kg Approx.

Tray size	:	400 x 600mm (16"x24") x 2
Bread(400gm)	:	210 Loaves (1Trolley,14 Shelves)



**ET-120
(Double Trolley)**

Sponge Cake : 106 Kg (2Trolley, 32 Trays)
 Buns(45gms) : 864 Nos. (2Trolley, 36 Trays)
 Biscuits : 40 Kg (2Trolley, 40 Trays)
 Dry Rusk : 36 Kg (2Trolley, 40 Trays)
 Kharis : 24 Kg (2Trolley, 36 Trays)
 Puffs : 900 Nos. (2Trolley, 36 Trays)
 Dimension : 7.8 x 7.8 x 8.3 fts
 Max Tem. : 300°C
 Connected load : 4 Hp/ 3 Kw
 Weight : 1750 Kg Approx.

Tray size : 450 x 700 mm(18"x27 ") x 2
 Bread(400gm) : 336 Loaves (2Trolley,14 Shelves)



**ET-220
(Double Trolley)**

Sponge Cake : 150 Kg (2Trolley, 72 Trays)
 Buns(45gms) : 1260 Nos. (2Trolley, 72 Trays)
 Biscuits : 56 Kg (2Trolley, 80 Trays)
 Dry Rusk : 50 to 56 Kg (2Trolley, 80 Trays)
 Kharis : 34 Kg (2Trolley, 72 Trays)
 Puffs : 1440 Nos. (2Trolley, 72 Trays)
 Dimension : 9.5 x 9.0 x 8.3 fts
 Max Tem. : 300°C
 Connected load : 4.2 Hp/ 3.2 Kw
 Weight : 2300 Kg Approx.

Tray size : 400 x 600mm (16"x24") x 4
 Bread(400gm) : 420 Loaves (2Trolley,14 Shelves)



**ET-140
(Four Trolley)**

Sponge Cake : 212 Kg (4 Trolley, 64 Trays)
 Buns(45gms) : 1728 Nos. (4 Trolley, 72 Trays)
 Biscuits : 80 Kg (4 Trolley, 80 Trays)
 Dry Rusk : 72 Kg (4 Trolley, 80 Trays)
 Kharis : 48 Kg (4 Trolley, 72 Trays)
 Puffs : 1800 Nos. (4 Trolley, 72 Trays)
 Dimension : 10.4 x 10.0 x 8.3 fts
 Max Tem. : 300°C
 Connected load : 6.2 Hp / 4.7 Kw
 Weight : 3000 Kg Approx.

Tray size : 450 x 700mm (18"x27") x 4
 Bread(400gm) : 672 Loaves (4Trolley,14 Shelves)



**ET-240
(Four Trolley)**

Sponge Cake : 300 Kg (4 Trolley, 144 Trays)
 Buns(45gms) : 2520 Nos. (4 Trolley, 144 Trays)
 Biscuits : 112 Kg (4 Trolley, 160 Trays)
 Dry Rusk : 100 to 112 Kg (4 Trolley, 160 Trays)
 Kharis : 68 Kg (4 Trolley, 144 Trays)
 Puffs : 2880 Nos. (4 Trolley, 144 Trays)
 Dimension : 12.0 x 11.0 x 8.3 fts
 Max Tem. : 300°C
 Connected load : 6.2 Hp / 4.7 Kw
 Weight : 3800 Kg Approx.

Tray size : 400 x 600mm (16"x24") x 8
 Bread(400gm) : 840 Loaves (4Trolley,14 Shelves)

COOKIES WIRE-CUT AND DROPPING MACHINE

5/6/7/9/12 Nozzles (Servo Model)

COOKIES WIRE-CUT AND DROPPING MACHINE

Pg 04

COOKIES WIRE-CUT AND DROPPING MACHINE



Model	No. of Nozzels	Tray Width	Max Production Capacity / Hour	Total Power (In HP)
ETCD-5	5	13" (330 mm)	60 Kgs.	1.5
ETCD-6	6	16"(400 mm)	130 Kgs.	1.5
ETCD-7	7	18"(450 mm)	150 Kgs.	1.5
ETCD-9	9	24"(600 mm)	200 Kgs.	2.9
ETCD-12	12	32"(800 mm)	300 Kgs.	2.9

CAKE DROPPING MACHINE

6/9/12/18 Nozzles (Servo Model)



Model	ETKD-6/12	ETKD-6/14	ETKD-6/24	ETKD-6/28
No. of Nozzles	6 / 12	7/14	12 / 24	14 / 28
Speed	26 strokes / min			
Total Power	1.0 HP	1.0 HP	1.5 HP	1.5 HP

PLANTRY MIXER / SPIRAL MIXER

PLANETARY MIXERS

175/150/90/60 Liters

Model	ETPH-175	ETPH-140	ETPH-90	ETPH-60
Capacity	175 Ltrs	140 Ltrs	90 Ltrs	60 Ltrs
Batter Capacity	65 Kgs	50 Kgs	24 Kgs	20 Kgs
No. of Speeds	MULTI SPEED			
Power	7.5 H.P.	2.0 H.P.	5.0 H.P.	3.0 H.P.



SPIRAL MIXER

30/50/100 Kgs

Model	Capacity	MOTOR	
		Spiral	Bowl
ETSM-50	50 Kg Dough (30 Kg. Flour)	3 HP	1 HP
ETSM-100	100 Kg Dough (60 Kg. Flour)	7.5 HP	1.5 HP
ETSM-150	150 Kg Dough (90 Kg. Flour)	10 HP	2.5 HP



AUTOMATED BREAD PLANT



ETSM-150-D (Spiral Mixer)

Max. Wheaten flour quantity (Kg.)	90
Max. Dough quantity (Kg.)	150
Bowl Volume (l)	270

Electrical Specifications

Installed Power (KW)	11 KW / 14.5 HP
Connecting voltage	3 ph 415 V. 50 Hz.

Dimensions

Length (MM / Ft.)	1720 / 5.6
Width (MM / Ft.)	595 / 2.0
Height working Position (MM / Ft.)	1380 / 4.5
Height-lifted cover (MM / Ft.)	1840 / 2.33
Mixer weight (Kg.)	750
Trolley with Bowl Weight (Kg.)	240

ETSM-150 - (Hoist)

Load Capacity (Kg.)	730
---------------------	-----

Electrical Specifications

Installed Power (KW/HP)	1.5 / 2
Connecting Voltage	3 Ph 415 V, 50 Hz

Dimensions

Height (MM / Ft.)	3200 / 10.5
Width (MM / Ft.)	1600 / 5.75
Depth (MM / Ft.)	1200 / 3.9
Weight (Kg.)	950

OVEN SWING TRAY TYPE

OVEN SWING TRAY TYPE

Pg 08

OVEN SWING TRAY TYPE



MODEL NO.	NO. OF TRAYS	CAPACITY/LOAVES
ETST-36	36	1540 / Hr.
ETST-42	42	1800 / Hr.
ETST-50	50	2300 / Hr.



HI-SPEED DOUGH MIXER



MODEL NO.	CAPACITY	POWER
ETST-30	30 Kg Flour	16 Hp
ETST-40	40 Kg Flour	21 Hp
ETST-50	50 Kg Flour	35 Hp

DOUGH DIVIDER



MODEL NO.	CAPACITY	POWER
ETDD-10	30-150 grms	2.5 Hp
ETDD-20	100-700 grms	4.0 Hp
ETDD-30	150-900 grms	5.5 Hp

CONICAL ROUNDER



MODEL NO.

ETCR-22

CAPACITY

3000 Loaves

DOUGH MOULDER



MODEL NO.

ETDM-24


CAPACITY

2400 Pcs.

ETDM-36

3600 Pcs.

HI-SPEED BREAD SLICER



MODEL NO.	CAPACITY	POWER
ETST-13	4500 Loaves / 400 grms	3 Hp
ETST-18	8000-9000 Loaves / 400 grms	4 Hp
ETST-24	8000-9000 Loaves / 700 grms	6 Hp

TABLE TOP

JUUMBO SLICER



MODEL NO.
ETTS-12

MODEL NO.	CAPACITY
ETRS-11	250 - 400 Loaves
ETRS-22	400 - 600 Loaves

FINAL PROVER (CUSTOMIZED AS PER REQUIREMENT)

FINAL PROVER

Pg 12

FINAL PROVER



MODEL NO.	NO. OF TRAYS	CAPACITY/LOAVES
ETSP-120	120	4500 / Hr.
ETSP-200	200	7500 / Hr.



Swing Tray



Tunnel Type



Rack Type

WATER CHILLER PLANT | FLOUR SIFTER



WATER CHILLER PLANT

MODEL NO.	CAPACITY
ETWCP-1	1 Tonne
ETWCP-2	2 Tonne
ETWCP-5	5 Tonne
ETWCP-10	10 Tonne
ETWCP-15	15 Tonne



COMPACT FLOUR SIFTER



FLOUR SIFTER

MODEL NO.	CAPACITY / Hr
ETFS-400	1000 Kg

WATER BATCHING TANK | YEAST MIXER

WATER BATCHING TANK
YEAST MIXER

Pg 14

WATER BATCHING TANK
YEAST MIXER



YEAST MIXER

MODEL NO.

ETYM-50

WATER BATCHING TANK

MODEL NO.	CAPACITY
ETWB-45	45 Ltr. / Batch
ETWB-75	75 Ltr. / Batch



FLOW WRAP PACKING MACHINE



BAG SEALER



ELECTRIC STONE BASE PIZZA OVEN

AVAILABLE WITH STONE



ETDPS-11
Electric Pizza Oven
1 Deck 1 Tray
Size: 900x560x390 mm
Stone Size: 400x600 mm
Power: 3.2 Kw

AVAILABLE WITH STONE



ETDPS-22
Electric Double Deck Pizza Oven
2 Deck 2 Tray
Size: 900x560x640 mm
Stone Size: 400x600 mm
Power: 6.4 Kw

AVAILABLE WITH STONE



ETDPS-222
Electric Double Deck Pizza Oven
2 Deck 2 Tray
Size: 945x605x810 mm
Stone Size: 483x635 mm
Power: 6.4 Kw

DIGITAL CONTROLLER



ETDP-11
Electric Pizza Oven
1 Deck 1 Tray
Size: 945x605x485 mm
Stone Size: 638x430 mm
Power: 3.2 Kw



ETDP-15
Electric Single Deck Pizza Oven
Size: 650x570x280 mm
Stone Size: 400x400 mm
Power: 2 Kw



ETDP-25
Electric Double Deck Pizza Oven
Size: 560x570x440 mm
Stone Size: 400x400 mm
Power: 3 Kw

MICROWAVE OVEN



ETDO-11
Bakery Electric 1 Deck 1 Tray Oven
Size: 945x605x485 mm
Stone Size: 638x430 mm
Power: 3.2 Kw



ETDP-500
500 Degree Single Deck Pizza Oven
Size: 910x790x430 mm
Stone Size: 600x600x150 mm
Temperature: 50 C-500 50 Hz
Power: 4.8 kw



ETMO-25 F
Commercial Microwave Oven
Membrane Touch Control
Size: 508x356x254 mm
Cap.: 25 Ltrs. Power: 1 kw

ELECTRIC BACKING OVEN



ETDO-12
Bakery Electric 1 Deck 2 Tray Oven
Size: 1235x800x500 mm
Chamber: 860x660x200 mm
Power: 6.6 Kw



ETDO-24
Bakery Electric 2 Deck 4 Tray Oven
Size: 1235x800x1010 mm
Chamber: 860x660x200 mm
Power: 13.2 Kw



ETDO-36
Bakery Electric 3 Deck 6 Tray Oven
Size : 1200x820x1530 mm
Chamber : 860x640x230 mm
Power : 19.6 kw

GAS BACKING OVEN

**AVAILABLE
WITH STONE**



ETDG-11
Bakery Gas 1 Deck 1 Tray Oven
Size: 960x600x500 mm
Chamber: 650x420x220 mm
Stone Size: 400x600x30 mm
Power: 100 w



ETDG-12
Bakery Gas 1 Deck 2 Tray Oven
Size: 1300x890x630 mm
Chamber: 870x650x230 mm
Tray Size: 400x600x30 mm
Power: 100 w



ETDG-13
Bakery Gas 1 Deck 3 Tray Oven
Size: 1770x890x1410 mm
Chamber: 1300x670x220 mm
Tray Size: 400x600x30 mm
Power: 200 w



ETDG-24
Bakery Gas 2 Deck 4 Tray Oven
Size: 1300x890x1410 mm
Chamber: 870x650x230 mm
Tray Size: 400x600x30 mm
Power: 200 w



ETDG-36
Bakery Gas 3 Deck 6 Tray Oven
Size: 1300x840x1720 mm
Chamber: 870x650x230 mm
Tray Size: 400x600x30 mm
Power: 300 w



ETDG-39
Bakery Gas 3 Deck 9 Tray Oven
Size: 1770x890x1705 mm
Chamber: 1300x670x220 mm
Tray Size: 400x600x30 mm
Power: 300 w

OVEN STAINLESS STEEL GAS BAKING



ETDS-12
Bakery Gas 1 Deck 2 Tray Oven
Size: 1300x910x670 mm
Temperature: 20 C-500 C 50 HZ
Power: 0.1 kw



ETDS-24
Bakery Gas 2 Deck 4 Tray Oven
Size: 1300x910x1400 mm
Temperature: 20 C-500 C 50 HZ
Power: 0.2 kw 220 V



ETDS-36
Bakery Gas 3 Deck 6 Tray Oven
Size: 1300x910x1800 mm
Temperature: 20 C-500 C 50 HZ
Power: 0.3 kw 220 V

ELECTRIC CONVECTION OVEN



ETIS-C4
4 Tray Convection Oven
Size: 675X640X500 mm
Temp. : 0-350 C
Frequency: 50 Hz
Voltage: 220 v
Power: 5.5 kw



ETIS-C5
5 Tray Convection Oven
Size: 840X775X659 mm
Temp. : 0-350 C
Frequency: 50 Hz
Voltage: 220 v
Power: 4.5 kw



ETIS-C66
Tray Convection Oven
Size: 765 X 920 X 680 mm
Temp. : 0-350 C
Frequency: 50 Hz
Voltage: 380 v
Power: 9.7 kw



ETSD-44
Tray Convection Oven
Size: 595x530x570 mm
Temp. : 50-300 C
Frequency: 50 Hz
Voltage: 220 v
Power: 2.5 kw



ETSD-8
8 Tray Convection Oven
Size: 835x770x575 mm
Temp. : 0-300 C
Frequency: 50 Hz
Voltage: 220 v Power: 8 kw

COOLING RACK



Cooling Rack 15 Tray
Full SS Body
Cap : 15 Tray
Size: 475x610x1700 mm

BAKING OVEN WITH PROOFER

**FULL
STAINLESS STEEL
MODEL**



ETDO-40D+10F
Bakery Electric 2 Deck 4 Tray
Oven With 10 Tray Proofer
Size: 1220x820x1930 mm
Chamber: 860x660x200 mm
Tray Size: 400x600x30 mm
Power: 15.2 Kw



ETDO-40Q+10F
Bakery Gas 2 Deck 4 Tray
Oven With 10 Tray Proofer
Size: 1330x890x2040 mm
Chamber: 860x660x200 mm
Tray Size: 400x600x30 mm
Power: 3.2 Kw

GAS CONVECTION OVEN



ETWGQ-10
Gas Convection Oven (10 Tray)
Size: 900x1375x1470mm
Power: 1.2 Kw ~ 220 v



ETWGQ-5C
Gas Convection Oven (5 Tray)
Size: 900x1375x780mm
Power: 650 w ~ 220 v

BREAD PROOFER



ETWG-13 C
Electric Proofer 13 Tray
Size: 500x700x1610 mm
Temp. Range: 30~80 C
Power: 2.6 Kw



ETWG-6 C
Electric Proofer 6 Tray
Size: 500x700x1050 mm
Temp. Range: 30~80 C
Power: 1.9 Kw



ETAS-WK12P
Electric Proofer 8 Tray
Size: 910x1300x860 mm
Temp. Range: 0~60 C
Power: 0.4 Kw

PLANETARY MIXER


ETPM-7
Bakery Food
Planetary Mixer
Cap.: 7 Ltrs.
Max Kneading: 0.5 Kgs.
Power: 350 w



ETPM-10
Bakery Food
Planetary Mixer
Cap.: 10 Ltrs.
Max Kneading: 1 Kgs.
Power: 500 w



ETPM-20
Bakery Food
Planetary Mixer
Cap.: 20 Ltrs.
Max Kneading: 2 Kgs.
Power: 1.1 Kw



ETPM-30
Bakery Food
Planetary Mixer
Cap.: 30 Ltrs.
Max Kneading: 3 Kgs.
Power: 1.5 Kw



ETPM-40
Bakery Food
Planetary Mixer
Cap.: 40 Ltrs.
Max Kneading: 4 Kgs.
Power: 2 Kw

SPIRAL MIXER


ETSM-10
Spiral Mixer
Cap.: 10 Ltrs.
Max Kneading: 4 Kgs.
Power: 0.75 Kw



ETSM-20
Spiral Mixer
Cap.: 22 Ltrs.
Max Kneading: 8 Kgs.
Power: 1.1 Kw



ETSM-30
Spiral Mixer
Cap.: 34 Ltrs.
Max Kneading: 12 Kgs.
Power: 1.8 Kw



ETSM-50
Spiral Mixer
Cap.: 54 Ltrs.
Max Kneading: 22 Kgs.
Power: 2.2 Kw



ETSM-60
Spiral Mixer
Cap.: 64 Ltrs.
Max Kneading: 26 Kgs.
Power: 2.6 Kw



ETSM-130L
50 kgs Spiral Mixer Computer Panel
Double Motor Double Speed
Size : 1120x720x1300 mm
Flour:50 kgs, Dough : 80 kgs,
Bowl: 130 L
380V - 3 Phase - 6 Kw
Bowl Speed: 17.2 R/M
Hook Speed: 125/250 - 17.2 R/M



ETSM-80L
25 kgs Spiral Mixer Computer Panel
Double Motor Double Speed
Size : 980x625x1250 mm
Flour:25 kgs, Dough : 40 kgs,
Bowl: 130 L
380V - 3 Phase - 3.37 Kw
Bowl Speed: 17.8 R/M
Hook Speed: 135/270 R/M



ETSM-45L
12.5 kgs Spiral Mixer Computer Panel
Double Motor Double Speed
Size : 560x840x1080 mm
Flour:12.5 kgs, Dough : 20 kgs,
Bowl: 45 L
380V - 3 Phase - 2.2 Kw
Bowl speed: 12.8-25.5 R/M
Hook Speed: 140/280 R/M

DOUGH SHEETER



ETSP 520

Dough Sheeter Table Top
Outline Size: 2400x920x650 mm
Conveyer Belt Size: 500x1980 mm
Roller Range: 1~35 mm
Power: 550 w



ETSF 520

Dough Sheeter Standing
Outline Size: 2550x1000x128 mm
Conveyer Belt Size: 500x1980 mm
Roller Range: 1~45 mm
Power: 750 w

PIZZA SHEETER



ETSP 40

Pizza Sheeter
Size: 540x550x650 mm
Pizza Diameter : 10 ~ 40 cm
Power: 0.37 Kw ~ 220 v

BAKERY EQUIPMENT



ETWG-Q 31 A

Bread Slicer
Size: 730x680x900 mm
Thickness of Slice: 12 mm
No. of Blade/Slice: 31
Power: 250 Kw



ETCM18

Cake Icing Machine
Size: 550x410x580 mm
Cake Height : 3~18 cm
Dia: 36 cm
Power: 60 W



ETDD Dough Divider

Size: 410x520x1240 mm
Dough Weight: 100~180 gm
Power: 750 w



ETBD 30R

Dough Rounder Divider
Size: 640x540x2100 mm
Dough Weight: 30~100 gm
Power: 750 w



DISHWASHER

ETHS-50

Commercial Dishwasher
Washing Time: 60~300 s
Cap.: 50 Baskets/H
Rinse Temp.: 85~90 c
Tank Size : 42 Ltrs.
Warmer Volume: 28 Ltrs.
Size: 675 x 740 x 1375 mm
Power: 9 Kw~380 -415 v

PRE RINSE UNIT

ETWM-10

Pre Rinse Unit
Size: 430x930 mm



COLD EQUIPMENT



ETJ18LX2
Cold Juice Dispenser
Cap.: 18+18 Ltrs.
Size: 410x450x715 mm
Power: 300 w



ETJ18LX3
Cold Juice Dispenser
Cap.: 18 Ltrs. x 3
Size: 610x465x715 mm
Power: 350 w



ETSM-15
Slush Machine
Cap.: 12+12 Ltrs.
Size: 430x530x800 mm
Power: 890 w



ETASX700
Snow Ice Maker
Full SS Body
Size: 310x570x420 mm
Cap: 100 gm/min Power : 750 w



ETKK-35 & ETKK-55
Ice Cube Machine
Cap.: 35 Kgs/ 24Hr, 55 Kgs./24 Hr
Size: 430x350x640 mm
Power : 380 w



ETKK-100
Ice Cube Machine
Cap.: 100 Kg/24 Hrs
Size : 660x670x910 mm
Power 480 w



ET 738P
Softy Ice-Cream Machine
No. of Flavors: 2+1
Size: 770x540x1480 mm
Power: 2.2 Kw

ETKK-220
Ice Cube Machine
Cap.: 220 Kg/24 Hrs
Size :765x845x1575 mm
Power 1.29 kw



COLD EQUIPMENT



ET708P
Table Top Softy Machine
No. of Flavors: 2+1
Size: 520x695x1680 mm
Power: 2 kw



ETCBJ-11
Fried Ice Cream Machine
Pot Dia: 350 mm
Size: 500x485x700x400 mm
Power: 950 w



ET1200B3
Cake Showcase
Size: 1200x620x1300 mm
Temp.: 4~8 C
Power: 720 w



ETTDS-2
Cold Display Counter
TopSize: 270X200X300 mm
Temp.: 2~8
Power: 220V.50 Hz

ETAS-SU1200
Sushi Counter
Size: 1200X350X340 mm
Temp.: 2~8 C



COFFEE MACHINE



ETCM-01
Power: 3200 w
Voltage: 220V~50 Hz
Size: 650X565X525 mm



ETCM-02
Power: 4200 w
Voltage: 220V~50 Hz
Size: 850X565X525 mm

COFFEE GRINDER



ETCG-01
Power: 350 w
Voltage: 220V~50 Hz
Size: 270x220x550 mm



ETCG-02
Power: 300 w
Voltage: 220V~50 Hz
Size: 240x155x470 mm



ETCG-03
Power: 180 w
Voltage: 220V~50 Hz
Size: 360x145x260 mm



Stainless Steel Milk Frothing Jug
Cap: 350, 600, 900 & 2000 ml

FAST FOOD EQUIPMENT



ETTCG-811E
Commercial Single Plate Electric Contact Grill
Size: 425x370x190 mm
Power: 2.2 Kw



ETCCE-520
Electric Candy Floss
Size: 530x530x415 mm
Power: 1.3 Kw



MADE IN TURKEY

ETDD-7700
Gas Sandwich Griller
Size: 440x440x270 mm
Plate Size: 400x300 mm
Pressure: 30 mbar



ETTQC-520
Gas Candy Floss
Size: 530x530x415 mm



ETTPM-8R
Commercial Electric Pop Corn Machine
Size: 560x420x760 mm
Power: 1.5 Kw

BLENDER & GRINDER



ETBL-767
Commercial
Blender
Cap.: 2 Ltrs.
Power: 1500 w



ETCB-2200
Commercial
Blender
Cap.: 2 Ltrs.
Power: 1600 w



Et8001
Sound Proof
Bar Blender
Cap.: 1.8 Ltrs.
Power: 1800 w



ETANW-6180
Sound Proof
Bar Blender
Cap.: 1.8 Ltrs.
Power: 2200 w

DIGITAL
PANEL



ANB-6180
Sound Proof
Bar Blender
Cap.: 1.8 Ltrs.
Power: 2200 w

CHOCOLATE FOUNTAIN & DISPENSER



ETAS CF-51
Chocolate Fountain
5 Tier
Size: 330x600 mm
Power: 230 w



ETAS CF-51
Chocolate Fountain
5 Tier
Size: 330x600 mm
Power: 230 w



ETAS CF-51
Chocolate Fountain
5 Tier
Size: 330x600 mm
Power: 230 w



ETAS CF-51
Chocolate Fountain
5 Tier
Size: 330x600 mm
Power: 230 w



ETAS CF-51
Chocolate Fountain
5 Tier
Size: 330x600 mm
Power: 230 w

PASTA BOILER



ETAS CS-2
Chocolate Stove
(2 Pans)
Size: 205x400x225 mm
Power: 1 kw



ETAS CS-3
Chocolate Stove
(3 Pans)
Size: 205x560x225 mm
Power: 1.5 w



ETPB-4
Pasta Boiler
4 Compartment
Size: 180x180x130 mm
Power: 4 kw



ETPB-6
Pasta Boiler
6 Compartment
Size: 210x190x130 mm
Power: 6 kw

WAFFLE MAKER



ETTWE-01
Egg Waffle Maker
Size: 225x420x290 mm
Power: 1.4 Kw



ETTWM-01
Round Waffle Maker
Size: 250x350x260 mm
Power: 1 Kw



ETTWB-01
Cone Waffle Maker
Size: 280x380x230 mm
Power: 1 Kw



ETTRW-01
Round Rotary Waffle
Size: 490x250x350 mm
Power: 1.3 Kw



ETTWS-01
Square 4 Waffle Maker
Size: 315x410x240 mm
Power: 1.75 Kw



ETAS HF-45
Tree Shape Waffle Maker
Size: 450x350x280 mm
Power: 1.75 Kw



ETTWE-01
Egg Waffle Maker
Size: 225x420x290 mm
Power: 1.4 Kw



ETUFO-01
Burger Waffle Machine
Size: 490x250x350 mm
Power: 1.3 Kw



ETBWM-01
Biscuit Waffle Maker
Size: 390x340x245 mm
Power: 1.55 Kw



ETAS-25
Pie Maker
Size: 325x300x185 mm
Power: 1 Kw

INDUCTION COOKER



ETCK-35
Commercial Induction Cooktop
Size: 320x420x100mm
Power: 3500 w



ETCK-50
Commercial Induction Cooktop
Size: 510x400x200mm
Power: 5000 w



ETCKW-35
Commercial Induction Wok
Size: 420x350x100mm
Power: 3500 w



ETCKW-50
Commercial Induction Wok
Size: 510x400x200mm
Power: 5000 w

GAS ELECTRIC GRIDDLE



ET 818
Electric Griddle Plain
Size: 550x450x235 mm
Power: 3 Kw



ET 820
Electric Griddle Plain
Size: 730x520x235 mm
Power: 4.4 Kw



ET 822
Electric Griddle Plain & Groove
Size: 730x520x235 mm
Power: 4.4 Kw



ET 718
Gas Griddle Plain
Size: 550x514x540 mm



ET 720
Gas Griddle Plain
Size: 730x565x540 mm



ET 722
Gas Griddle Plain & Groove
Size: 730x565x540 mm

SALAMANDER



ETS-450
Lift-UP
Electric Salamander
Size: 500x450x470 mm
Power: 2.8 Kw



ETS-600
Lift-UP
Electric Salamander
Size: 600x450x470 mm
Power: 4 Kw



ET-936
Electric Salamander
Size: 610x310x280 mm
Power: 2 Kw



ET-938
Electric Salamander
Size: 580x390x390 mm
Power: 2.2 Kw

MANUAL POTATO TWISTER



ETMPS-01
Manual Potato Twister
Size: 330x130x140 mm

DUMPLING MACHINE



ETDM-09
Commercial Dumpling Machine
Production Cap: 50-60pcs/min
Product Folded Size 36x27x36 cm
Voltage: 110V/220 v
Power: 140 W Weight: 20 kg

DIMSUM & MOMO STEAMER



Bamboo Dimsum Basket
Size: 6",7",8",10" & 12"



ETBDS-34
Bamboo Dimsum Steamer
Size: 34 cm



Momo Steamer
3 Tier
Size: IMO-28, IMO-30 & IMO-32 cm



Electric Momo Steamer
Size: 34 cm
Power: 1500 w



Electric Momo Steamer
Size: 40,47,52 cm
Power: 3500 w

BAIN MARIE



3 Pan W/Glass & Valve
(1/2 100 mm)
Size: 940x350x360 mm
Power: 1.5 Kw



4 Pan W/Glass & Valve
(1/2 100 mm)
Size: 1200x350x360 mm
Power: 1.5 Kw



5 Pan W/Glass & Valve
(1/2 100 mm)
Size: 1450x350x360 mm
Power: 1.8 Kw



ETAS-2V
2 Pan Electric Bain Marie
Size: 570x370x280 mm
Power: 1.2 Kw



ETAS-4V
4 Pan Electric Bain Marie
Size: 690x590x225 mm
Power: 1.5 Kw



ETAS-3V
3 Pan Electric Bain Marie
Size: 575x365x265 mm
Power: 1.5 Kw



ETER - 10
Gas Egg Roll Machine
Size: 510x275x410 mm

GAS SHAWARMA



ETPG-2
2 Burner
Gas Shawarma Machine
Size: 535x885x750 mm



ETPG-3
3 Burner
Gas Shawarma Machine
Size: 535x885x980 mm

DEEP FAT FRYER



ETTEF-61
Electric Fryer Single Tank
Size: 290x460x310 mm
Cap.: 5.5 Ltrs.
Power: 2.5 Kw



ETTEF-62
Electric Fryer Double Tank
Size: 580x460x310 mm
Cap.: 5.5+5.5 Ltrs.
Power: 2.5 + 2.5 Kw



**MICRO SWITCH
OVER TEMP
LIMITER & HANDLE**

ETTEF-81
Electric Fryer Single Tank
Size: 265x410x345 mm
Cap.: 8 Ltrs.
Power: 3.25 Kw



ETTEF-82
Electric Fryer Double Tank
Size: 480x410x345 mm
Cap.: 8+8 Ltrs.
Power: 3.25 + 3.25 Kw



ETTEF-101V
Electric Fryer Single Tank
Size: 280x470x350 mm
Cap: 10 Ltrs.
Power: 3 Kw



ETTEF-1/1
Electric Fryer
Single Tank 2 Baskets
Size: 660x340x160 mm
Cap.: 12 Ltrs
Power: 3 Kw



ETTEF 13 L
Electric Fryer Single Tank
Size: 350x500x410 mm
Cap.: 13 Ltrs
Power: 5 Kw



ETTEF-13 L-2
Electric Fryer Double Tank
Size: 700x500x410 mm
Cap.: 13 + 13 Ltrs
Power: 5+5 Kw



ETTGT-71
Gas Fryer Single Tank
Size: 290x520x480 mm
Cap.: 6 Ltrs.



ETTGT-72
Gas Fryer Double Tank
Size: 570x520x480 mm
Cap.: 6+6 Ltrs.



ETTGT-71A
Gas Fryer Single Tank
Size: 310x660x550 mm
Cap.: 16 Ltrs.



ETTGT-72A
Gas Fryer Double Tank
Size: 616x660x550 mm
Cap.: 16+16 Ltrs.

DEEP FAT FRYER



ETTEF-28
Electric Standing Fryer
Size: 420x830x1110 mm
Cap.: 28 Ltrs
Power: 10 Kw

FOOD DISPLAY WARMER



ETTFW-2P
Deluxe Food Warmer
Size : 660x480x630 mm
Power : 800 w



ETPFW 660
Premium Food Warmer
Size: 600X480X610 mm
Power: 1.5 Kw

FOOD PROCESSING EQUIPMENT



ETFP-500 & ETFP-1000
Power Grinder
Size: 500 ml & 1000 ml
Power: 2.8 Kw



ETFL-80E
Electric Centrifugal
Milk/Cream Separator
Size : 360x360x500 mm
Cap: 80 L/H
Power : 300 w



ETSV-5
Sausage Stuffer
Size: 300x235x650 mm
Cap.: 5 Ltrs.

**CHURROS
ATTACHMENT
AVAILABLE**



ETSV-7
Sausage Stuffer
Size: 300x300x795 mm
Cap.: 7 Ltrs.



ETCBC-30
Vegetable / Meat Chopper
Voltage: 220 v /380 v
Cap.: 300 kg/h
Size: 560x480x750 mm
Power: 1.5 kw



ETBS-J250
Bone Saw Machine
Size: 490x500x880 mm
Blade Size: 1650 mm
Power: 1500 w



ETAS-250B
Meat Slicer (250 mm)
Size: 575x465x415 mm
Thickness: 0.2~12 mm
Width: 180 mm
Power: 150 w



ETSNM-01
Small Electric
Noodle Machine
Roller Width: 200 mm
Noodle Width: 2-9 mm
Voltage: 220 V
Weight : 21 Kg

FOOD PROCESSING EQUIPMENT



ETMT 60
 Commercial Noodle Machine
 Roll Parameters :- $\phi 89 \times 220$
 Power:- 1.5 kw



Vegetable Peeling Machine
 Size: 1180x700x1100 mm
 Power: 1.1 Kw
 Efficiency: 400 Kg/Hr



ET 660
 Conveyor vegetable cutting machine with Machine Head Dicing Machine
 Production Cap: 100-300 kg/h
 Slice Thickness: 1-6mm adjustable
 Cut Size: 2-23 mm
 Tool Holder Raised
 Dimension: 30 mm
 Size: 880*430*750 mm
 Voltage : 220 V, Power: 0.75 kw

MEAT MINCER



ETTC-12
 Commercial Meat Mincer
 Cap.: 120 Kg/Hr
 Power: 850 w



ETTC-22
 Commercial Meat Mincer
 Cap.: 150 Kg/Hr
 Power: 1.1 Kw



ETAS-L80
 Sugar Cane Juice Machine
 Full SS Body
 Size: 480x390x780 mm
 Power: 1.1 Kw



ETDSC-450
 Sugar Cane Juice Machine
 Battery+Electric (Dual model)
 Size: 445x345x760 mm
 Power: 0.75 Kw, 24v-220v/50hz

SUGAR CANE MACHINE

RICE STEAMER



Electric Rice Steamer
 Cap: 12 Tray
 Size : 720x640x1550 mm
 Power: 12 Kw



Electric Rice Steamer
 Cap: 8 Tray
 Size: 720x640x1170 mm
 Power: 9 Kw

FOOD DEHYDRATOR



ETLT-10
 Electric Food Dehydrator
 Cap.: 10 Tray
 Size: 460x400x500 mm
 Power: 1000 w



ETLT-20
 Electric Food Dehydrator
 Cap.: 20 Tray
 Size: 430x535x794 mm
 Power: 1600 w



PRJ Excellent Food Products Pvt Ltd

- 📍 412/1 Ghitorni, New Delhi 110030
- 📞 9716672129/9818522129
- ✉ E-mail : abhishekdhawan@excelltechindia.com
- 🌐 www.excelltechindia.com
- 🌐 www.chefworksindia.com